

MULE PRO-MX™, MULE™ 4010 4x4, MULE™ 4000 & MULE SX™

# 2-PASSENGER SIDE X SIDES

The two-passenger MULE™ side x sides are for those who need to pack a powerful punch without hauling as many people. Don't take on the demands of your workday alone—let the MULE side x sides do the heavy lifting. Find the right MULE vehicle that fits your workload.



MULE PRO-MX™ EPS LE in Firecracker Red

## RELIABLE

The utility efforts within the two-passenger side x sides are concentrated on the hauling and towing capabilities, resulting in a vehicle guaranteed to put in hard days of work. Designed to perform in tighter environments, these agile workhorses are built with the same Kawasaki STRONG DNA that will forever define MULE™.

Accessorized units shown.

WARN® ProVantage™/ Vantage™ – WARN®, the WARN® logo and THE RED HOOK STRAP are registered trademarks of Warn Industries, Inc. ProVantage™ and Vantage™ are trademarks of Warn Industries, Inc.



COMPACT RELIABILITY

# MULE SX™



MULE SX™ 4x4 XC SE in Super Black

Styled in the image of its full-size MULE™ PRO siblings, MULE SX™ side x sides pack plenty of stout muscle into a compact and agile machine. Handle a wide variety of tasks with the ability to tread lightly and maneuver in tight areas or take a new path with the MULE SX™ 4x4 XC—a willing companion on the jobsite and on the weekends. Built rugged with off-road capability and reliable efficiency, MULE SX vehicles are ready for whatever your day has in store, whether it's work or fun.



## ENGINE / CVT / DRIVE

The MULE SX™ side x sides are powered by a strong, dependable 401cc single-cylinder four-stroke engine. A fully automatic Continuously Variable Transmission (CVT) has high and low forward ranges, providing simple operation and efficient engine range for a variety of loads or terrain.



MULE SX™ 4x4 XC SE in Super Black



MULE SX™ 4x4 in Dark Royal Red

## CARGO & TOWING

Although compact, MULE SX™ side x sides pack major muscle with a 400-pound hauling capacity and the ability to tow up to 1,100 pounds. The tilting steel cargo bed with latching tailgate features a textured floor, while integrated cargo bed rails allow for easy installation of Kawasaki Quick Release (KQR™) mounts and Kawasaki Genuine Accessories.

## AGILITY & TURNING

The maneuverability of the MULE SX™ side x sides are beyond compare. The compact size and tight turning radius allow the MULE SX vehicles to venture into tight areas with ease. With their lightweight and small stature, they can even fit into the bed of a full-size pickup truck for easy transport.


MULE SX™ in Dark Royal Red





MULE SX™

# MODEL OPTIONS



MULE SX™ 4x4 XC SE in Super Black





● Super Black



● Realtree Xtra® Green Camo



● Vibrant Blue



○ Bright White



● Dark Royal Red ● Timberline Green



● Timberline Green ● Dark Royal Red

### MULE SX™ 4x4 XC SE

- 401cc, Single Cylinder, 4-stroke Engine
- Selectable 2WD/4WD with Dual-mode Rear Differential
- 12-inch Cast Aluminum Wheels with Aggressive Tread 26-inch Tires
- Continuously Variable Transmission (CVT) with High, Low, Neutral and Reverse
- Sun Top
- Special Graphics and 4 High-intensity LED Headlights

### MULE SX™ 4x4 XC CAMO

- 401cc, Single Cylinder, 4-stroke Engine
- Selectable 2WD/4WD with Dual-mode Rear Differential
- 2 High-intensity LED Headlights
- 12-inch Wheels with 26-inch Tires
- Continuously Variable Transmission (CVT) with High, Low, Neutral and Reverse
- Realtree Xtra® Green Camo Bodywork

### MULE SX™ 4x4 XC

- 401cc, Single Cylinder, 4-stroke Engine
- Selectable 2WD/4WD with Dual-mode Rear Differential
- 2 Halogen Headlights
- 12-inch Wheels with 26-inch Tires
- Continuously Variable Transmission (CVT) with High, Low, Neutral and Reverse

### MULE SX™ 4x4 SE

- 401cc, Single Cylinder, 4-stroke Engine
- Selectable 2WD/4WD with Dual-mode Rear Differential
- 2 Halogen Headlights
- 24-inch Duro Tires
- Towing Hitch Drawbar and Dash-mounted Horn
- Continuously Variable Transmission (CVT) with High, Low, Neutral and Reverse

### MULE SX™ 4x4

- 401cc, Single Cylinder, 4-stroke Engine
- Selectable 2WD/4WD with Dual-mode Rear Differential
- 2 Halogen Headlights
- 24-inch Duro Tires
- Continuously Variable Transmission (CVT) with High, Low, Neutral and Reverse

### MULE SX™

- 401cc, Single Cylinder, 4-stroke Engine
- 2WD with Dual-mode Rear Differential
- 2 Halogen Headlights
- 22-inch Duro Tires
- Continuously Variable Transmission (CVT) with High, Neutral and Reverse

# MULE™ SIDE X SIDES SPECS

	MULE SX™ 4x4 XC / CAMO / SE	MULE™ SX 4x4 / SE	MULE SX™
ENGINE	4-stroke, single-cylinder, OHV, air-cooled	4-stroke, single-cylinder, OHV, air-cooled	4-stroke, single-cylinder, OHV, air-cooled
DISPLACEMENT	401cc	401cc	401cc
BORE X STROKE	3.23x2.99 in	3.23x2.99 in	3.23x2.99 in
COMPRESSION RATIO	8.6:1	8.6:1	8.3:1
MAXIMUM TORQUE	21.4 lb-ft @ 2400 rpm	21.7 lb-ft @ 2400 rpm	20.6 lb-ft @ 2200 rpm
FUEL SYSTEM	Fuel injection	Nikki 6C1026 carburetor	Nikki 6C1026 carburetor
TRANSMISSION	Continuously Variable Transmission (CVT) with (H,L,N,R)	Continuously Variable Transmission (CVT) with (H,L,N,R)	Continuously Variable Transmission (CVT) with (H,N,R)
FINAL DRIVE	Selectable 2WD/4WD, shaft. Dual mode rear differential with differential lock	Selectable 2WD/4WD, shaft. Dual mode rear differential with differential lock	2WD, shaft. Dual mode rear differential with differential lock
ENGINE BRAKING	No	No	No
ALTERNATOR OUTPUT (MAX)	22.9 amp	17 amp	17 amp
FRONT SUSPENSION / WHEEL TRAVEL	MacPherson Strut/3.1 in	MacPherson Strut/3.1 in	MacPherson Strut/3.1 in
REAR SUSPENSION / WHEEL TRAVEL	Unit Swingarm/3.1 in	Unit Swingarm/3.1 in	Unit Swingarm/3.1 in
FRONT TIRES	26x9.00-12	24x9.00-10	22x9.00-10
REAR TIRES	26x9.00-12	24x11.00-10	22x11.00-10
PARK BRAKE TYPE	Independent, Mechanical Drum	Independent, Mechanical Drum	Independent, Mechanical Drum
STEERING	Rack-and-pinion, Tilt steering	Rack-and-pinion, Tilt steering	Rack-and-pinion, Tilt steering
FRONT BRAKES	Drum	Drum	Drum
REAR BRAKES	Drum	Drum	Drum
GROUND CLEARANCE	8.1 in	6.7 in	6.1 in
FUEL CAPACITY	4.2 gal	4.2 gal	4.2 gal
TURNING RADIUS	11.8 ft	10.8 ft	10.8 ft
CARGO BED DIMENSIONS (LXWXH)	35.6 x 40.9 x 9.6 in	35.6 x 40.9 x 9.6 in	35.6 x 40.9 x 9.6 in
CARGO BED CAPACITY	400 lb	400 lb	400 lb
LOAD CAPACITY	884 lb	906 lb	926 lb
SEATING CAPACITY	2	2	2
TOWING CAPACITY	1100 lb*	1100 lb**	1100 lb**
LIGHTING	(4) LED headlights, tail/brake lights	(2) Halogen headlights, tail/brake lights	(2) Halogen headlights, tail/brake lights
OVERALL LENGTH	106.7 in	106.7 in	106.7 in
OVERALL WIDTH	52.6 in	52.6 in	52.6 in
OVERALL HEIGHT	75.0 in	70.9 in	70.1 in
CURB WEIGHT	1098.1 lb**	1040.8 lb**	967.6 lb**
WHEELBASE	70.1 in	70.1 in	70.1 in
INSTRUMENTS	Fuel gauge, hour meter, oil temp light, parking brake light	Fuel gauge, hour meter, oil temp light, parking brake light / horn (SE only)	Fuel gauge, hour meter, oil temp light, parking brake light
WHEEL TYPE	Alloy	Steel	Steel
WARRANTY	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty	Kawasaki Strong 3-Year Limited Warranty
KAWASAKI PROTECTION PLUS™ (OPTIONAL)	12, 24 or 36 months	12, 24 or 36 months	12, 24 or 36 months

\*Requires Optional Hitch

\*\*Curb weight includes all necessary materials and fluids to operate correctly, full tank of fuel (more than 90 percent capacity) and tool kit (if supplied).

Specifications subject to change.

Realtree APG-XTRA Camouflage Design © 2012 of Jordan Outdoor Enterprises, Ltd., all rights reserved.